

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.6. CCSS.Math.Content.6.RP CCSS.Math.Content.6.RP.A CCSS.Math.Content.6.RP.A.3	Grade 6 Ratios and Proportional Relationships Understand ratio concepts and use ratio reasoning to solve problems. Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.	
CCSS.Math.Content.6.RP.A.3a	Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.	Equivalent Ratios Ratios in Real-World Situations
CCSS.Math.Content.6.NS CCSS.Math.Content.6.NS.B CCSS.Math.Content.6.NS.B.3	The Number System Compute fluently with multi-digit numbers and find common factors and multiples. Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.	
CCSS.Math.Content.6.NS.B.4	Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1-100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express $36 + 8$ as $4(9 + 2)$.	Estimating and Finding Decimal Products Factors and Multiples Prime Numbers and Prime Factorization
CCSS.Math.Content.6.NS CCSS.Math.Content.6.NS.C CCSS.Math.Content.6.NS.C.7 CCSS.Math.Content.6.NS.C.7c	The Number System Apply and extend previous understandings of numbers to the system of rational numbers. Understand ordering and absolute value of rational numbers. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of -30 dollars, write $ -30 = 30$ to describe the size of the debt in dollars.	Absolute Value
CCSS.Math.Content.6.NS.C.7d	Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.	Absolute Value

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.6.EE	Expressions and Equations	
CCSS.Math.Content.6.EE.A	Apply and extend previous understandings of arithmetic to algebraic expressions.	
CCSS.Math.Content.6.EE.A.2	Write, read, and evaluate expressions in which letters stand for numbers.	
CCSS.Math.Content.6.EE.A.2a	Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as $5 - y$.	Expressions with and without Parentheses Writing and Evaluating Expressions
CCSS.Math.Content.6.EE.A.2b	Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression $2(8 + 7)$ as a product of two factors; view $(8 + 7)$ as both a single entity and a sum of two terms.	Expressions with and without Parentheses
CCSS.Math.Content.6.EE.A.2c	Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas $V = s^3$ and $A = 6s^2$ to find the volume and surface area of a cube with sides of length $s = 1/2$.	Expressions with and without Parentheses Writing and Evaluating Expressions
CCSS.Math.Content.6.EE.A.3	Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.	Equivalent Expressions
CCSS.Math.Content.6.EE.A.4	Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.	Equivalent Expressions
CCSS.Math.Content.6.EE.B	Reason about and solve one-variable equations and inequalities.	
CCSS.Math.Content.6.EE.B.6	Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.	Writing and Evaluating Expressions

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.6.G	Geometry	
CCSS.Math.Content.6.G.A	Solve real-world and mathematical problems involving area, surface area, and volume.	
CCSS.Math.Content.6.G.A.1	Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.	Area of Special Quadrilaterals Area of Triangles
CCSS.Math.Content.6.G.A.3	Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.	Finding Area on a Coordinate Plane
CCSS.Math.Content.6.SP	Statistics and Probability	
CCSS.Math.Content.6.SP.A	Develop understanding of statistical variability.	
CCSS.Math.Content.6.SP.A.2	Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.	Box Plots Summarizing Data Sets with Statistics
CCSS.Math.Content.6.SP.A.3	Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.	Summarizing Data Sets with Statistics
CCSS.Math.Content.6.SP.B	Summarize and describe distributions.	
CCSS.Math.Content.6.SP.B.4	Display numerical data in plots on a number line, including dot plots, histograms, and box plots.	Box Plots
CCSS.Math.Content.6.SP.B.5	Summarize numerical data sets in relation to their context, such as by:	
CCSS.Math.Content.6.SP.B.5d	Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.	Summarizing Data Sets with Statistics

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.7.	Grade 7	
CCSS.Math.Content.7.RP	Ratios and Proportional Relationships	
CCSS.Math.Content.7.RP.A	Analyze proportional relationships and use them to solve real-world and mathematical problems.	
CCSS.Math.Content.7.RP.A.1	Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $(\frac{1}{2})/(\frac{1}{4})$ miles per hour, equivalently 2 miles per hour.	Unit Rates
CCSS.Math.Content.7.RP.A.2	Recognize and represent proportional relationships between quantities.	
CCSS.Math.Content.7.RP.A.2a	Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.	Unit Rates
CCSS.Math.Content.7.RP.A.2b	Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.	Proportions Solving Scale Problems Using Proportions
CCSS.Math.Content.7.RP.A.3	Use proportional relationships to solve multistep ratio and percent problems. Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error.	Finding a Percent of a Number Finding a Total Amount Percent Increase and Decrease Proportions
CCSS.Math.Content.7.NS	The Number System	
CCSS.Math.Content.7.NS.A	Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.	
CCSS.Math.Content.7.NS.A.1	Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.	
CCSS.Math.Content.7.NS.A.1b	Understand $p + q$ as the number located a distance $ q $ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.	Adding and Subtracting Decimals Adding Integers

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.7.NS.A.1c	Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.	Adding and Subtracting Decimals Subtracting Integers
CCSS.Math.Content.7.NS.A.2	Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.	
CCSS.Math.Content.7.NS.A.2a	Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.	Multiplying Fractions Multiplying Integers
CCSS.Math.Content.7.NS.A.2b	Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.	Dividing Integers
CCSS.Math.Content.7.NS.A.2c	Apply properties of operations as strategies to multiply and divide rational numbers.	Dividing Fractions Multiplying Fractions
CCSS.Math.Content.7.NS.A.3	Solve real-world and mathematical problems involving the four operations with rational numbers.	Finding a Percent of a Number Finding a Total Amount Percent Increase and Decrease

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.7.EE	Expressions and Equations	
CCSS.Math.Content.7.EE.B	Solve real-life and mathematical problems using numerical and algebraic expressions and equations.	
CCSS.Math.Content.7.EE.B.3	Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional $\frac{1}{10}$ of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar $9\frac{3}{4}$ inches long in the center of a door that is 27 $\frac{1}{2}$ inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.	<p>Adding and Subtracting Decimals</p> <p>Dividing Fractions</p> <p>Multiplying Fractions</p> <p>Solving Two-Step Equations</p>
CCSS.Math.Content.7.EE.B.4	Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.	
CCSS.Math.Content.7.EE.B.4a	Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?	<p>Addition and Subtraction Equations</p> <p>Multiplication and Division Equations</p> <p>Solving Two-Step Equations</p>
CCSS.Math.Content.7.EE.B.4b	Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.	<p>Solving Two-Step Inequalities</p>

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.7.G	Geometry	
CCSS.Math.Content.7.G.A	Draw construct, and describe geometrical figures and describe the relationships between them.	
CCSS.Math.Content.7.G.A.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	Determining a Scale Factor Solving Scale Problems Using Proportions
CCSS.Math.Content.7.G.A.2	Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	Constructing Triangles
CCSS.Math.Content.7.G.B	Solve real-life and mathematical problems involving angle measure, area, surface area, and volume.	
CCSS.Math.Content.7.G.B.6	Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.	Surface Area of Composite Figures Volume of Composite Figures
CCSS.Math.Content.7.SP	Statistics and Probability	
CCSS.Math.Content.7.SP.A	Use random sampling to draw inferences about a population.	
CCSS.Math.Content.7.SP.A.1	Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.	Inferences and Predictions Sampling Methods
CCSS.Math.Content.7.SP.B	Draw informal comparative inferences about two populations.	
CCSS.Math.Content.7.SP.B.4	Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.	Comparing Measures of Center and Variability

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.7.SP.C	Investigate chance processes and develop, use, and evaluate probability models.	
CCSS.Math.Content.7.SP.C.5	Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.	
CCSS.Math.Content.7.SP.C.6	Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.	Understanding Probability
CCSS.Math.Content.7.SP.C.7	Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.	Experimental vs. Theoretical Probability
CCSS.Math.Content.7.SP.C.7a	Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.	Experimental vs. Theoretical Probability
CCSS.Math.Content.7.SP.C.8	Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation.	
CCSS.Math.Content.7.SP.C.8a	Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.	Probability of Compound Events
CCSS.Math.Content.7.SP.C.8b	Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event.	Probability of Compound Events

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.8.	Grade 8	
CCSS.Math.Content.8.NS	The Number System	
CCSS.Math.Content.8.NS.A	Know that there are numbers that are not rational, and approximate them by rational numbers.	
CCSS.Math.Content.8.NS.A.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	<p>Exploring Real Numbers</p> <p>Finding Distance in the Coordinate Plane</p> <p>Introduction to the Volume of a Cone</p> <p>Introduction to the Volume of a Sphere</p>
CCSS.Math.Content.8.NS.A.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). For example, by truncating the decimal expansion of $\sqrt{2}$, show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.	<p>Estimating and Comparing Square Roots</p>
CCSS.Math.Content.8.EE	Expressions and Equations	
CCSS.Math.Content.8.EE.A	Work with radicals and integer exponents.	
CCSS.Math.Content.8.EE.A.1	Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.	<p>Powers and Exponents</p> <p>Zero and Negative Exponents</p>
CCSS.Math.Content.8.EE.A.2	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	<p>Exploring the Pythagorean Theorem</p> <p>Finding the Hypotenuse in Right Triangles</p> <p>Introduction to the Volume of a Cone</p> <p>Introduction to the Volume of a Sphere</p> <p>Unknown Leg Lengths in Right Triangles</p>

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.8.EE.A.3	Use numbers expressed in the form of a single digit times a whole-number power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3 times 10^8 and the population of the world as 7 times 10^9 , and determine that the world population is more than 20 times larger.	Introduction to Scientific Notation
CCSS.Math.Content.8.EE.B	Understand the connections between proportional relationships, lines, and linear equations.	
CCSS.Math.Content.8.EE.B.5	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	Proportional Relationships
CCSS.Math.Content.8.EE.B.6	Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	Slope-Intercept Form
CCSS.Math.Content.8.EE.C	Analyze and solve linear equations and pairs of simultaneous linear equations.	
CCSS.Math.Content.8.EE.C.7	Solve linear equations in one variable.	
CCSS.Math.Content.8.EE.C.7b	Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	Combining Like Terms to Solve Equations Using the Distributive Property
CCSS.Math.Content.8.F	Functions	
CCSS.Math.Content.8.F.A	Define, evaluate, and compare functions.	
CCSS.Math.Content.8.F.A.1	Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	Constructing Linear Functions Introduction to Functions Slope-Intercept Form
CCSS.Math.Content.8.F.A.2	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.	Comparing Functions in the Real World

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.8.F.A.3	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line.	Constructing Linear Functions Slope-Intercept Form
CCSS.Math.Content.8.F.B	Use functions to model relationships between quantities.	
CCSS.Math.Content.8.F.B.4	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	Exploring Slope Tables, Graphs, and Equations
CCSS.Math.Content.8.G	Geometry	
CCSS.Math.Content.8.G.A	Understand congruence and similarity using physical models, transparencies, or geometry software.	
CCSS.Math.Content.8.G.A.1	Verify experimentally the properties of rotations, reflections, and translations:	
CCSS.Math.Content.8.G.A.1a	Lines are taken to lines, and line segments to line segments of the same length.	Congruence and Transformations
CCSS.Math.Content.8.G.A.1b	Angles are taken to angles of the same measure.	Congruence and Transformations
CCSS.Math.Content.8.G.A.1c	Parallel lines are taken to parallel lines.	Congruence and Transformations
CCSS.Math.Content.8.G.A.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	Congruence and Transformations
CCSS.Math.Content.8.G.A.3	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	Reflections Rotations in the Coordinate Plane Translations

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.8.G.A.5	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.	Angle Relationships Parallel Lines Cut by a Transversal
CCSS.Math.Content.8.G.B	Understand and apply the Pythagorean Theorem.	
CCSS.Math.Content.8.G.B.6	Explain a proof of the Pythagorean Theorem and its converse.	Exploring the Pythagorean Theorem
CCSS.Math.Content.8.G.B.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	Finding the Hypotenuse in Right Triangles Unknown Leg Lengths in Right Triangles
CCSS.Math.Content.8.G.B.8	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	Finding Distance in the Coordinate Plane
CCSS.Math.Content.8.G.C	Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.	
CCSS.Math.Content.8.G.C.9	Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.	Introduction to the Volume of a Cone Introduction to the Volume of a Sphere Surface Area and Volume of Cylinders
CCSS.Math.Content.8.SP	Statistics and Probability	
CCSS.Math.Content.8.SP.A	Investigate patterns of association in bivariate data.	
CCSS.Math.Content.8.SP.A.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	Constructing Scatterplots
CCSS.Math.Content.8.SP.A.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	Using Equations to Represent Trend Lines

Standard ID	Standard Text	Edgenuity Lesson Name
CCSS.Math.Content.8.SP.A.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	Using Equations to Represent Trend Lines
CCSS.Math.Content.HSS	Statistics & Probability, High School	
CCSS.Math.Content.HSS-CP	Conditional Probability and the Rules of Probability	
CCSS.Math.Content.HSS-CP.B	Use the rules of probability to compute probabilities of compound events in a uniform probability model.	
CCSS.Math.Content.HSS-CP.B.9	(+) Use permutations and combinations to compute probabilities of compound events and solve problems.	Combinations