

| Standard ID | Standard Text | Edgenuity Lesson Name |
|--------------------------------|---|---|
| | Ratios and Proportional Relationships | |
| CCSS.Math.Cont ent.7.RP.A | Analyze proportional relationships and use them to solve real-world and mathematical problems. | |
| ent.7.RP.A.1 | Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour. | Unit Rates Finding a Constant of Proportionality Applications of Unit Rates |
| CCSS.Math.Cont ent.7.RP.A.2 | Recognize and represent proportional relationships between quantities. | |
| ent.7.RP.A.2.a | Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin. | Identifying Proportional Relationships |
| | Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships. | Finding a Constant of Proportionality Graphing Proportional Relationships Identifying Proportional Relationships Equations of Proportional Relationships |
| | Represent proportional relationships by equations. For example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as t = pn. | Equations of Proportional Relationships |
| | Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate. | Graphing Proportional Relationships |
| ent.7.RP.A.3 | Use proportional relationships to solve multistep ratio and percent problems. Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error. | Cross Products Introduction to Percents Finding a Percent of a Number Finding a Total Amount Markups and Markdowns Finding an Original Amount Simple Interest |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|----------------------------------|---|--|
| | The Number System | |
| CCSS.Math.Cont ent.7.NS.A | Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers. | |
| CCSS.Math.Cont ent.7.NS.A.1 | Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram. | |
| CCSS.Math.Cont ent.7.NS.A.1.a | Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged. | Integers and the Number Line |
| CCSS.Math.Cont ent.7.NS.A.1.b | Understand $p + q$ as the number located a distance $ q $ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts. | Integers and the Number Line Adding Integers Rational Numbers |
| CCSS.Math.Cont ent.7.NS.A.1.c | Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts. | Subtracting Integers Adding and Subtracting Decimals Adding and Subtracting Fractions |
| CCSS.Math.Cont ent.7.NS.A.1.d | Apply properties of operations as strategies to add and subtract rational numbers. | Using Properties of Operations Adding Integers Subtracting Integers Adding and Subtracting Decimals Adding and Subtracting Fractions |
| CCSS.Math.Cont ent.7.NS.A.2 | Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers. | |
| CCSS.Math.Cont ent.7.NS.A.2.a | Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts. | Multiplying Integers Multiplying Decimals Multiplying Fractions |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|----------------|--|----------------------------------|
| CCSS.Math.Cont | Understand that integers can be divided, provided that the divisor is not zero, and every quotient of | Dividing Integers |
| ent.7.NS.A.2.b | integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-p)/q = p/(-p$ | |
| | q). Interpret quotients of rational numbers by describing real-world contexts. | |
| CCSS.Math.Cont | Apply properties of operations as strategies to multiply and divide rational numbers. | Using Properties of Operations |
| ent.7.NS.A.2.c | | Multiplying Integers |
| | | Dividing Integers |
| | | Multiplying Decimals |
| | | Dividing Decimals |
| | | Multiplying Fractions |
| | | Dividing Fractions |
| | Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats. | Rational Numbers |
| CCSS.Math.Cont | Solve real-world and mathematical problems involving the four operations with rational numbers. | Applications of Unit Rates |
| ent.7.NS.A.3 | | Simple Interest |
| | | Percent Increase and Decrease |
| | | Adding Integers |
| | | Subtracting Integers |
| | | Multiplying Integers |
| | | Dividing Integers |
| | | Operations with Integers |
| | | Adding and Subtracting Decimals |
| | | Multiplying Decimals |
| | | Dividing Decimals |
| | | Adding and Subtracting Fractions |
| | | Multiplying Fractions |
| | | Dividing Fractions |
| | | - |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|--------------------------------|--|---|
| | Expressions and Equations | |
| CCSS.Math.Cont ent.7.EE.A | Use properties of operations to generate equivalent expressions. | |
| CCSS.Math.Cont ent.7.EE.A.1 | Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients. | Writing Expressions Writing and Evaluating Expressions Using Properties to Simplify Expressions Adding and Subtracting Expressions Expanding Expressions Factoring Expressions |
| CCSS.Math.Cont ent.7.EE.A.2 | Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. For example, a + 0.05a = 1.05a means that "increase by 5%" is the same as "multiply by 1.05." | |
| CCSS.Math.Cont ent.7.EE.B | Solve real-life and mathematical problems using numerical and algebraic expressions and equations. | |
| CCSS.Math.Cont ent.7.EE.B.3 | Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation. | Simple Interest Adding Integers Subtracting Integers Multiplying Integers Dividing Integers Operations with Integers Adding and Subtracting Decimals Multiplying Decimals Dividing Decimals Adding and Subtracting Fractions Multiplying Fractions Solving Problems Involving Rational Numbers Solving Two-Step Equations Solving Multi-Step Equations |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|-----------------------------|---|--|
| CCSS.Math.Cont | Use variables to represent quantities in a real-world or mathematical problem, and construct simple | |
| ent.7.EE.B.4 | equations and inequalities to solve problems by reasoning about the quantities. | |
| | | |
| CCSS.Math.Cont | Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p, q, and r are | Addition and Subtraction Equations |
| ent.7.EE.B.4.a | specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to | Multiplication and Division Equations |
| | an arithmetic solution, identifying the sequence of the operations used in each approach. For | Solving Two-Step Equations |
| | example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width? | Solving Multi-Step Equations |
| CCSS.Math.Cont | Solve word problems leading to inequalities of the form px + q > r or px + q < r, where p, q, and r are | Writing Inequalities |
| | specific rational numbers. Graph the solution set of the inequality and interpret it in the context of | Graphing Inequalities |
| | the problem. For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week | Addition and Subtraction Inequalities |
| | you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, | Multiplication and Division Inequalities |
| | and describe the solutions. | Solving Two-Step Inequalities |
| | Geometry | |
| CCSS.Math.Cont ent.7.G.A | Draw construct, and describe geometrical figures and describe the relationships between them. | |
| CCSS.Math.Cont | Solve problems involving scale drawings of geometric figures, including computing actual lengths and | Scale Factor |
| ent.7.G.A.1 | areas from a scale drawing and reproducing a scale drawing at a different scale. | Solving Scale Problems Using Proportions |
| | | Scale Drawings and Area |
| | | Changing a Scale |
| CCSS.Math.Cont | Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given | Constructing Triangles |
| ent.7.G.A.2 | conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle. | Constructing Geometric Figures |

CCSS.Math.ContDescribe the two-dimensional figures that result from slicing three-dimensional figures, as in planeCross Sectionsent.7.G.A.3sections of right rectangular prisms and right rectangular pyramids.Cross Sections



| Standard ID | Standard Text | Edgenuity Lesson Name |
|--------------------------------|---|--|
| CCSS.Math.Cont | Solve real-life and mathematical problems involving angle measure, area, surface area, and volume. | |
| ent.7.G.B | | |
| CCSS.Math.Cont | Know the formulas for the area and circumference of a circle and use them to solve problems; give an | Circumference |
| ent.7.G.B.4 | informal derivation of the relationship between the circumference and area of a circle. | Area of a Circle |
| CCSS.Math.Cont | Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem | Angle Relationships |
| ent.7.G.B.5 | to write and solve simple equations for an unknown angle in a figure. | |
| CCSS.Math.Cont | Solve real-world and mathematical problems involving area, volume and surface area of two- and | Area of Polygons |
| ent.7.G.B.6 | three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms. | Surface Area of Prisms |
| | | Surface Area of Pyramids |
| | | Volume of Prisms |
| | | Volume of Pyramids |
| | | Volume and Surface Area Problems |
| | Statistics and Probability | |
| CCSS.Math.Cont ent.7.SP.A | Use random sampling to draw inferences about a population. | |
| | | |
| CCSS.Math.Cont | Understand that statistics can be used to gain information about a population by examining a sample | Sampling Methods |
| CCSS.Math.Cont ent.7.SP.A.1 | Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is | Sampling Methods |
| | | Sampling Methods |
| ent.7.SP.A.1 | of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative | Sampling Methods Sampling Methods |
| ent.7.SP.A.1 CCSS.Math.Cont | of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences. Use data from a random sample to draw inferences about a population with an unknown | |
| ent.7.SP.A.1 CCSS.Math.Cont | of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences. Use data from a random sample to draw inferences about a population with an unknown | Sampling Methods |
| ent.7.SP.A.1 CCSS.Math.Cont | of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences. Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by | Sampling Methods Inferences and Predictions |
| ent.7.SP.A.1 | of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences. Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by | Sampling Methods Inferences and Predictions Multiple Samples |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|----------------|--|--|
| CCSS.Math.Cont | Draw informal comparative inferences about two populations. | |
| ent.7.SP.B | | |
| CCSS.Math.Cont | Informally assess the degree of visual overlap of two numerical data distributions with similar | Analyzing Dot Plots |
| ent.7.SP.B.3 | variabilities, measuring the difference between the centers by expressing it as a multiple of a measure | Comparing Measures of Center and Variability |
| | of variability. For example, the mean height of players on the basketball team is 10 cm greater than | Comparing Box Plots |
| | the mean height of players on the soccer team, about twice the variability (mean absolute deviation) | |
| | on either team; on a dot plot, the separation between the two distributions of heights is noticeable. | |
| CCSS.Math.Cont | Use measures of center and measures of variability for numerical data from random samples to draw | Comparing Measures of Center and Variability |
| ent.7.SP.B.4 | informal comparative inferences about two populations. For example, decide whether the words in a | Comparing Box Plots |
| | chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth- | |
| | grade science book. | |
| | Investigate chance processes and develop, use, and evaluate probability models. | |
| ent.7.SP.C | | |
| | Understand that the probability of a chance event is a number between 0 and 1 that expresses the | Understanding Probability |
| ent.7.SP.C.5 | likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 | Theoretical Probability |
| | indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor | |
| | likely, and a probability near 1 indicates a likely event. | |
| CCSS.Math.Cont | Approximate the probability of a chance event by collecting data on the chance process that | Experimental Probability |
| ent.7.SP.C.6 | produces it and observing its long-run relative frequency, and predict the approximate relative | Experimental vs. Theoretical Probability |
| | frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 | |
| | or 6 would be rolled roughly 200 times, but probably not exactly 200 times. | |
| CCSS.Math.Cont | Develop a probability model and use it to find probabilities of events. Compare probabilities from a | |
| ent.7.SP.C.7 | model to observed frequencies; if the agreement is not good, explain possible sources of the | |
| | discrepancy. | |
| | Develop a uniform probability model by assigning equal probability to all outcomes, and use the | Experimental vs. Theoretical Probability |
| ent.7.SP.C.7.a | model to determine probabilities of events. For example, if a student is selected at random from a | Compound Events and Sample Space |
| | class, find the probability that Jane will be selected and the probability that a girl will be selected. | Simulations to Estimate Probabilities |



| Standard ID | Standard Text | Edgenuity Lesson Name |
|----------------|--|--|
| CCSS.Math.Cont | Develop a probability model (which may not be uniform) by observing frequencies in data generated | Experimental Probability |
| ent.7.SP.C.7.b | from a chance process. For example, find the approximate probability that a spinning penny will land | Experimental vs. Theoretical Probability |
| | heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning | Simulations to Estimate Probabilities |
| | penny appear to be equally likely based on the observed frequencies? | |
| CCSS.Math.Cont | Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation. | |
| ent.7.SP.C.8 | | |
| CCSS.Math.Cont | Understand that, just as with simple events, the probability of a compound event is the fraction of | Compound Events and Sample Space |
| ent.7.SP.C.8.a | outcomes in the sample space for which the compound event occurs. | Probability of Compound Events |
| CCSS.Math.Cont | Represent sample spaces for compound events using methods such as organized lists, tables and tree | Compound Events and Sample Space |
| ent.7.SP.C.8.b | diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the | Probability of Compound Events |
| | outcomes in the sample space which compose the event. | |
| CCSS.Math.Cont | Design and use a simulation to generate frequencies for compound events. For example, use random | Simulations to Estimate Probabilities |
| ent.7.SP.C.8.c | digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A | |
| | blood, what is the probability that it will take at least 4 donors to find one with type A blood? | |